


Historical Record
Sub Post Henry Bks.

Comps. 1510-1511







IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. O. M. G.: Plan No. 625-14354 Building No. 2

Place Henry Barracks Porto Rico
Designation of building Company Officers Quarters Capacity One Off.
Total cost, \$ 11,868.84 Date completed Nov. 22, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695 sq. ft.
Size: Main building 20'-0" x 65'-10" Wings 15'-8" x 21'-6" 6" Basement _____
a _____ Height of first floor above
(How heated) ground 3'-0"
b _____ How lighted Electric
(Type of heat) Water connections 1½" pipe
c Solar & Electric Water Heater Comb. Sewer connections 4" C. I. Sewer
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. *Two*
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Install 1 ea water filter "Eclipse"				
	Yorch #142	\$10.00			
8/19/41	Replacement of (19) hurricane shutters	\$142.30			
	(10) shutters 3' - 8 1/2" x 7' - 11" - 5/8" ea. \$14.25 (10 ea. 22.5)	\$142.30			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





BASEMENT FIRST FLOOR SECOND FLOOR
 IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 625-1435A Building No. 3

Place Henry Barracks Porto Rico
Designation of building Company Officers' Quarters Capacity One Off.
Total cost, \$ 11,868.84 Date completed Nov. 22, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695.59 ft.
Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-0" 15'-8" x 26'-4" Basement _____
a _____ Height of first floor above ground 3'-0"
(How heated) _____
b _____ How lighted Electric
(Type of heat) _____
Water connections 1½" pipe
c Solar & Electric Water Heater Comb. Sewer connections 4" C.I. Sewer
(Type of domestic hot water heater) _____
Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two _____
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installs one each water filter				
	Fclipse Vouch #142	\$10.00			
8/1/41	Replacement of (19) hurricane shutters (10)				
	shutters 3'-8 1/8" x 7'-11 5/8" ea. #14.25 (Vou # 225)	\$192.50			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



Post Plan No. -----

O. Q. M. G.: Plan No. 425-1435A Building No. 4

Place Henry Barracks Porto Rico
Designation of building Company Officers' Quarters Capacity One Off.
Total cost, \$ 11,868.84 Date completed Nov. 22, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695.59 ft.
Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-0" 15'-8" x 26'-4" Basement _____
a _____ Height of first floor above
ground _____ 3'-0"
(How heated)
b _____ How lighted Electric
(Type of heat) Water connections 1½" pipe
c Solar & Electric Water Heater Comb. Sewer connections 4" C. I. Sewer
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One _____
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


DATE		COST	DATE		COST
9/16/40	Install 1 ea water filter				
	Eclipse" Vouch. # 142	\$10.00			
8/10/41	Replacement of (19) hurricane shutters (10)				
	shutters 3'-8 1/2" x 7'-11-5/8" ea \$14.25 (Vou. 225)	\$142.50			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




GOVERNMENT PRINTING OFFICE




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 425-1435A Building No. 5


Place Henry Barracks Porto Rico
 Designation of building Company Officers Quarters Capacity One Off.
 Total cost, \$ 11,868.84 Date completed Nov. 22, 1930
 Material: Walls Concrete & Tile Foundation Concrete
 Roof French Tile Floors Tile
 Total floor area above basement, square feet 1695.59 sq. ft.
 Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 12'-0" 12'-0" x 26'-4" Basement _____
 a _____ Height of first floor above ground 3'-0"
 (How heated) _____
 b _____ How lighted Electric
 (Type of heat) _____ Water connections 1 1/2" pipe
 c Solar & Electric Water Heater Comb. Sewer connections 4" C.I. Sewer
 (Type of domestic hot water heater) _____ Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed 1 ea Filter, water				
	"Eclipse" Vouch. # 142	\$10.00			
8/14/41	Replacement of (19) Hurricane Shutters (10)				
	Shutters 3'-8 1/2" x 7'-11-5/8" ea \$14.25 (10 ea #225)	\$142.50			


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.







BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Post Plan No. _____

O. Q. M. G.: Plan No. 425-1435A Building No. 6

Place Henry Barracks Porto Rico
Designation of building Company Officers Quarters Capacity One Off.
Total cost, \$ 11,868.84 Date completed Nov. 22, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695.59 sq. ft.
Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-0" 15'-8" x 26'-4" Basement _____
a _____ Height of first floor above ground 3'-0"
(How heated) _____
b _____ How lighted Electric
(Type of heat) _____ Water connections 1½" pipe
c Solar & Electric Water Heater Comb Sewer connections 4" C.I. Sewer
(Type of domestic hot water heater) _____ Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. *Two*
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed 1 ea Filter, water, "Eclipse" Vouch. # 142	\$10.00			
8/18/41	Replacement of (19) Hurricane shutters (10) shutter 3' 8 1/2" x 7-11-2" ea. \$14.25 (Vou. # 225)	\$142.50			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch.

Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

In space under heading "Details" show character of construction, story heights, etc.

O. O. M. G.: Plan No. 425-1435A Building No. 7

Place Henry Barracks Porto Rico
Designation of building Company Officers' Quarters Capacity One Off.
Total cost, \$ 11,868.84 Date completed Nov. 22, 1930
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695 sq. ft.
Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-0" 15'-8" x 26'-4" Basement
a _____ Height of first floor above ground 3'-0"
(How heated)
b _____ How lighted Electric
(Type of heat)
c Solar & Electric Water Heater Comb. Water connections 1½" pipe
(Type of domestic hot water heater) Sewer connections 4" C. I. Sewer
Gas connections

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


DATE		COST	DATE		COST
9/16/60	Installed 1 ea Filter water,				
	"Eclipse" Vouch. # 142	\$10.00 ✓			
8/11/41	Replacement of (19) Hurricane Shutters (10)				
	Shutters 3'-8 1/2" X 7'-11 7/8" ea \$14.25 Vouch #225	\$142.50			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




GOVERNMENT PRINTING OFF




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 6578-1204 Building No. 8

Place Henry Barracks Porto Rico
Designation of building Field Officer's Quarters Capacity One F. Off
Total cost, \$ 14,200.71 Date completed July 20, 1931
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1940 sq. ft.
Size: Main building 22'-0" x 64'-0" Wings 14'-6" x 17'-0" 16'-6" x 32'-2" Basement

a	(How heated)	Height of first floor above ground	3'-0"
b	<i>Solar & Electric Water Heater Comb.</i> (Type of heat)	How lighted	<i>Electric</i>
		Water connections	1 1/2" pipe
c	(Type of domestic hot water heater)	Sewer connections	4" S. Sewer
		Gas connections	

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. *One* _____
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two _____
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



GOVERNMENT PRINTING OFFICE



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

--	--

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. O. M. G.: Plan No. 625-1435 A Building No. 9

Place Henry Barracks Porto Rico
Designation of building Company Officers Quarters Capacity One Off.
Total cost, \$ 11,868.84 Date completed Nov. 22, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695.59 ft²
Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-0" 15'-8" x 26'-4" Basement

a	(How heated)	Height of first floor above ground	3'-0"
b	(Type of heat)	How lighted	Electric
c	(Type of domestic hot water heater)	Water connections	1 1/2" pipe
		Sewer connections	4" C.I. sewer
		Gas connections	

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.







BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Post Plan No. _____

O. O. M. G.: Plan No. 625-1435 A Building No. 10

Place Henry Barracks Porto Rico
Designation of building Company Officers Quarters Capacity One Off.
Total cost, \$ 12,295.73 Date completed July 20, 1931
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695 sq. ft.
Size: Main building 20'-0" x 65'-10" Wings 15'-8" x 21'-0" 26'-4" Basement

a	(How heated)	Height of first floor above ground	3'-0"
b	(Type of heat)	How lighted	Electric
c	<i>Solar & Electric Water Heater Comb.</i> (Type of domestic hot water heater)	Water connections	1 1/2" pipe
		Sewer connections	4" C. I. Sewer
		Gas connections	

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. *One*
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. *Two*
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
7/16/40	Installed 1 st Filter water				
	"Eclipse" Vouch. # 142	\$10.00			
8/25/41	Replacement of (19) hurricane shutters	\$215.30			
6/24/41					

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 625-1435 A Building No. 11

Place Henry Barracks Porto Rico
 Designation of building Company Officers Quarters Capacity One Off.
 Total cost, \$ 12,295.73 Date completed July 20, 1931
 Material: Walls Concrete & Tile Foundation Concrete
 Roof French Tile Floors Tile
 Total floor area above basement, square feet 1695.59 ft.
 Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-9" 15'-8" x 24'-4" Basement _____

a	(How heated)	Height of first floor above ground	3'-0"
b	(Type of heat)	How lighted	Electric
		Water connections	1 1/2" pipe
c	Solar & Electric Water Heater Comb. (Type of domestic hot water heater)	Sewer connections	4" C.I. Sewer
		Gas connections	

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One Westinghouse, 4 burners.
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE	DESCRIPTION	COST	DATE	COST
9/27/37	Shot Range replaced by a similar range (68.53)	\$ 59.73		
9/19/40	Installed 1 st Filter, water, "Eclipse" Vouch # 147	10.00		
8/28/41	Replacement of (19) Hurricane Shutters	\$215.30		
6/12/41	Manuel (Installed) mixing valve 1/2" Vouch # 1287	\$ 12.50		

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 625-1435 A Building No. 12

Place Henry Barracks Porto Rico
Designation of building Company Officers Quarters Capacity One Off.
Total cost, \$ 12,295.73 Date completed July 20, 1931.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695.59 sq. ft.
Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-0" 15'-8" x 24'-4" Basement _____
a _____ Height of first floor above ground 3'-0"
(How heated) _____
b _____ How lighted Electric
(Type of heat) _____
c Solar & Electric Water Heater Comb. Water connections 1 1/2" pipe
(Type of domestic hot water heater) _____ Sewer connections 4" C.I. Sewer
Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. *Two* _____
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




GOVERNMENT PRINTING OFFICE




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 625-1435 A Building No. 13

Place Henry Barracks Porto Rico
Designation of building Company Officers Quarters Capacity One Off.
Total cost, \$ 11,868.84 Date completed Nov. 22, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 1695 sq. ft.
Size: Main building 20'-0" x 65'-10" Wings 10'-0" x 21'-0" 15'-8" x 26'-4" Basement _____
a _____ Height of first floor above ground 3'-0"
(How heated) _____
b _____ How lighted Electric
(Type of heat) _____
c Solar & Electric Water Heater Comb. Water connections 1 1/2" pipe
(Type of domestic hot water heater) _____ Sewer connections 4" C.I. Sewer
Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.







BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS


Handwritten notes area.

INSTRUCTIONS


If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.


16-8668




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

18

7
1 T 10

Place Henry Barracks, Puerto Rico.
Designation of building Laundry Shack Capacity _____
Total cost, \$ 40.00 Date completed _____
Material: Walls Wood Foundation Concrete reinforced
Roof Wood & Tile Floors "
Total floor area above basement, square feet _____
Size: Main building _____ Wings _____ Basement _____
a. _____ Height of first floor above
(How heated) ground 2"
b. _____ How lighted Electricity
(Type of heat) Water connections $\frac{1}{2}$ " pipe
c. _____ Sewer connections 2" & 4" pipes
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED

(Give quantity and capacity)

Gas _____

Electric One _____

Oil _____

Steam _____

Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large grid area for sketching and providing data for the building plans.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 19-E

Designation of building Standard Barrack (Dispensary) Capacity 41,150 cu. ft.

Total cost, \$ 5,650.00 Date completed March 19, 1941.

Material: Walls Wood Foundation Wooden Posts

Material: Walls	Foundation
Roof Wood rafters, sheathing & prepared	Floors Wood

Roof roofing paper #85 Floors
Total floor area above basement square feet 2,470

Size: Main building 25'4" x 99' Wings None Basement None

Size: Main building 29 4 x 77 Wings ----- Basement None
 Not heated Height of first floor above -----

a _____ (How heated) _____ Height of first floor above ground 1' to 4'

	(How heated)	ground + 50 4
b		How lighted Electricity

b	(Type of heat)	How lighted <u>Electricity</u>
		Water connections <u>1" & 2" G.</u>

Water connections 1" & 2" G.
Sewer connections 4" C.I. Pip

c. _____
(Type of domestic hot water heater)

COOKING RANGES INSTALLED REFRIGERATORS INSTALLED METERS INSTALLED

COOKING RANGES INSTALLED (Give quantity and size) **REFRIGERATORS INSTALLED** (Give quantity and size) **METERS INSTALLED** (Give quantity and capacity)

Coal _____ (Give quantity and size) Gas _____ (Give quantity and size) Gas _____ (Give quantity and capacity)

Coal _____	Gas _____	Gas _____
Gas _____	Electric _____	Electric _____

Gas _____ Electric _____ Electric _____
Electric _____ Ice _____ Oil _____

Electric _____ Ice _____ Oil _____
 Oil _____ Steam _____

Oil _____	Steam _____
Steam _____	Water _____

Steam _____ Water _____

Approval of Secretary of War
as required by A. R. 30-1435


(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

Blank lines for remarks.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch.

Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections:

In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No.

Building No.

20-E

Place Henry Barracks, Puerto Rico
Designation of building Standard Mess Hall Capacity 28,000 cu.ft.
Total cost, \$ 3,350.00 Date completed Feb. 28, 1941.
Material: Walls Wood Foundation Wooden Posts
Roof Wood rafters, sheathing & prepared Floors Wood
Roofing paper # 85
Total floor area above basement, square feet 2,000
Size: Main building 20' x 100' Wings _____ Basement _____
a _____ Height of first floor above
(How heated) _____ ground From 1' to 4"
b _____ How lighted Electricity
(Type of heat) _____ Water connections 1" G. Pipes
c Coal Water Heater Sewer connections 4" C. Pipes
(Type of domestic hot water heater) _____ Gas connections _____

COOKING RANGES INSTALLED **REFRIGERATORS INSTALLED** **METERS INSTALLED**
(Give quantity and size) (Give quantity and size) [(Give quantity and capacity)]
Coal _____ Gas _____ Gas _____
Gas _____ Electric 1- 40 cu.ft. _____ Electric _____
Electric _____ Ice _____ Oil _____
Oil _____ Steam _____
Steam _____ Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Post Plan No. _____

O. Q. M. G.: Plan No. 6578-115 Building No. 21 ✓

1-27

Place Henry Barracks Porto Rico
Designation of building HOSPITAL Capacity Eight Beds
Total cost, \$ 31,465.80 Date completed May 9, 1931.
Material: Walls Concrete & Tile Foundation Concrete
Roof Built-up Roof Floors Tile & Rubber
Total floor area above basement, square feet 3925 sq. ft.
Size: Main building 34'-0" x 114'-0" Wings 11'-0" x 24'-0" Basement 11'-6" x 20'-6"
a _____ Height of first floor above ground 3'-6"
(How heated) _____
b _____ How lighted Electric
(Type of heat) _____ Water connections 1 1/2" pipe
c Electric Water Heater Sewer connections 4" C.I. Sewers
(Type of domestic hot water heater) _____ Gas connections _____
COOKING RANGES INSTALLED METERS INSTALLED
Coal, No. _____ Gas, No. _____
Gas, No. _____ Electric, No. Five
Electric, No. One Oil, No. _____
Oil, No. _____ Steam, No. _____
Steam, No. _____ Water, No. _____



(See Attached letter)

ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
4/20/36	Drop 100 1625 Appl. 2:8" 1 Westinghouse		1940	Demolition of old wooden two paper roof	\$2550.00
	4 burner electric Range placed on 2nd		"	Construction of reinforced steel & tiles; con-	
	value \$68.87-			struction of two-end porches into bedrooms	
9/16/40	Installed 1 ea Filter, water,			increasing capacity to 16 patients, 4	
	"Eclipse" Vouch # 142	\$10.00		attendants, 4 desks, Dental chair, X-Ray	
12/30/40	(1) Nurses Calling Station, locking		"	a Dispensary.	\$3,150.00
	button type, single cord, for			Construction of 27 storm windows	\$739.27
	10-12 volts Vou. # 678	7.20			
" " "	Station, pilot, bulls-eye type lamps				
" " "	and buzzer complete Vou. # 678	15.55			
" " "	(1) Transformer, 56 watts, 110 volts				
" " "	60 cycles heavy duty of an approved				
	for Hospital signaling system				
	Vou. # 678	2.80			
" " "	10 gloves lighting fixtures, opal				
	glass 10" side 6 1/2" long 4"	12.75			
	filter, Vou. # 678				

INSTRUCTIONS.—"a" State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
"b" State whether steam, vapor, hot water, or hot air.
"c" State whether gas, coal, oil, or central heating plant.

See reverse side of form.

AUDITED
FJS
31 JAN 1936
CB

Post Plan No. _____

O. Q. M. G.: Plan No. 621-720 Building No. 22

Place Henry Barracks Porto Rico
Designation of building INFANTRY BATTALION BARRACKS-UNIT D Capacity 99 men
Total cost, \$ 77,798.75 Date completed Feb. 23, 1931.
Material: Walls Concrete & Tile Foundation Concrete
Roof Concrete & Built-up Roof Floors Cement
Total floor area above basement, square feet 20100 sq. ft.
Size: Main building 48'-4" x 113'-4" Wings 32'-8" x 49'-4" Basement 49'-0" x 114'-0"
33'-0" x 50'-0"

a	(How heated)	Height of first floor above ground <u>4 ft.</u>
b	(Type of heat)	How lighted <u>Electric</u>
c	<u>Coal Water Heater</u> (Type of domestic hot water heater)	Water connections <u>2" pipe</u> Sewer connections <u>6" S. Sewer</u> Gas connections

COOKING RANGES INSTALLED

Coal, No. *Two*
Gas, No. _____
Electric, No. _____
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed 1 ea Filter, water, "Eclipse" Vouch. # 142	\$10.00			
2/6/41	one (1) Heater, water, coal burning 250 gals. shipped to stock record account. Vouch. # 1	73.85			
1/16/41	one (1) Heater, Hot Water, 250 gals. Capacity radiant No. 175, Installed Vouch. # 902	49.50			
1940	Construction of 108 storm windows	\$297.08			
10/10/41	One (1) water heater, #155 Coal burning floor Voucher # 592	\$36.10			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





BASEMENT	FIRST FLOOR	SECOND FLOOR
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE		

A large sheet of graph paper with a grid pattern, intended for sketching basement and floor plans. The paper is oriented horizontally and shows signs of being folded or handled, with some creases and discoloration visible. The grid consists of small, uniform squares.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans of building are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

3-8891

Post Plan No. _____

O. Q. M. G.: Plan No. 621-720 Building No. 23

Place Henry Barracks Porto Rico
Designation of building INFANTRY BATTALION BARRACKS-UNIT B & C Capacity 197 men
Total cost, \$ 155,657.13 Date completed July 4, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof Concrete-Built-up Roof Floors Cement
Total floor area above basement, square feet 40110 sq. ft.
Size: Main building 52'-8" x 209'-4" Wings 42'-8" x 49'-4" Basement 33'-0" x 50'-0"


a _____ (How heated) Height of first floor above ground 4 ft.
b _____ (Type of heat) How lighted Electric
c Coal Water Heater Water connections 2" pipe
(Type of domestic hot water heater) Sewer connections 6" S. Sewer
Gas connections _____

COOKING RANGES INSTALLED

Coal, No. Two-each unit
Gas, No. _____
Electric, No. _____
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. One-each unit
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
1/10/39	Shipped to Stock Record Account: Vouch. 1045-1 Ca. Heater	Dropped-	6/13/41	Heater Water #156	42.37
10/25/38	Installed: 1 ea. Heater, hot water, 250 gals. cap. } "Ideal Furnace Co 175"	73.85			
5/21/40	Installed 1 ea. Heater, water tank, #175 Radiant, 250 gals. capacity Vouch #67	44.19			
5/16/40	Installed 2 ea Filter, water, "Eclipse" Vouch #142	\$20.00			
1940	Construction of 204 storm windows	\$5,510.04			
6/4/41	Installed 1 ea. Water Heater #155, brick lined based on 250 gals. 50 deg. rise. (Vouch #1227)	\$45.37			
"	Installed 1 ea. Vent Smoke Hood for alone (Vouch #1227)	\$ 1.50			
"	Installed Regulator for damper control (Vouch #1227)	\$ 3.00			
"	" 1 ea. Thermometer (Vouch #1227)	\$ 1.75			
"	" 1 ea. Relief valves, set at 85 lb (Vouch #1227)	\$ 2.50			

INSTRUCTIONS.—"a" State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
"b" State whether steam, vapor, hot water, or hot air.
"c" State whether gas, coal, oil, or central heating plant.

See reverse side of form.





IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 621-720 Building No. 24

A black and white photograph of a large, three-story building with a flat roof and many windows, situated on a hillside. The building has a central entrance and a small arched structure on the right side. The foreground shows a dirt area with some debris.


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed 1 st Filter, water, "Eclipse" Vouch. # 142	\$10.00 ✓			
2/6/41	one (1) Heater, water coal burning, 250 gals shipped to stock record account: Vouch. # 1	73.85			
1/16/41	one (1) En Heater, hot water, 250 gals capacity radiant no. 175; Installed Vouch. # 902	49.50 ✓			
1940	Construction R 108 storm windows	\$2,917.08			
10/10/41	One (1) water Heater #155 (Coal Burning Ideal) Vouch. # 592	\$36.10			


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.







BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place Henry Barracks, Puerto Rico,
Designation of building Magazine Capacity 3610 cu.ft.
Total cost, \$ 2,064.00 Date completed April 14, 1941.
Material: Walls Concrete Foundation Concrete reinforced
Roof Wood & prepared roofing paper # 85 Floors Concrete
Total floor area above basement, square feet 400
Size: Main building 20' x 20' Wings _____ Basement _____
a. _____ Height of first floor above
(How heated) ground _____
b. _____ How lighted _____
(Type of heat) Water connections _____
c. _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 27-T

COOKING RANGES INSTALLED
(Give quantity and size)

REFRIGERATORS INSTALLED
(Give quantity and size)

METERS INSTALLED
[(Give quantity and capacity)]


Gas _____
Electric _____
Oil _____
Steam _____
Water _____

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Post Plan No. _____

O.Q.M.G.: Plan No. _____ Building No. 28-T

Place Henry Barracks, Puerto Rico.
Designation of building Ammunition Magazine Capacity 3,610 cu. ft.
Total cost, \$ 2,063.00 Date completed March 14, 1941.
Material: Walls Concrete Foundation Concrete reinforced
Roof Wood & Roofing Paper # 85. Floors "
Total floor area above basement, square feet 400
Size: Main building 20' x 20' Wings _____ Basement _____
a _____ Height of first floor above
(How heated) ground _____
b _____ How lighted _____
(Type of heat) Water connections _____
c _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 29-T

Place Henry Barracks, Puerto Rico.
Designation of building Ammunition Magazine Capacity 396 cu.ft.
Total cost, \$ 672.00 Date completed April 14, 1947.
Material: Walls Concrete Foundation Concrete reinforced
Roof Concrete Floors Concrete
Total floor area above basement, square feet 42
Size: Main building 7 1/2 x 7 Wings _____ Basement _____
a. 11 x 13 _____ Height of first floor above
(How heated) ground _____
b. _____ How lighted _____
(Type of heat) Water connections _____
c. _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 307

Place Henry Baracks, Puerto Rico
Designation of building Police + Prison Office, Provost Marshall Sub-Grand Name Capacity 2400 sq. ft.
Total cost, \$ _____ Date completed _____
Material: Walls Wood Foundation Wood Posts
Roof Wood Rafter + Roofing Paper Floors Wood
Total floor area above basement, square feet 2,400 sq. ft.
Size: Main building 120' X 20' Wings None Basement None
a _____ Height of first floor above ground Various
(How heated) _____
b _____ How lighted Electricity - 110 Volts.
(Type of heat) _____
c _____ Water connections System No. 1 - 1/2"
(Type of domestic hot water heater) _____
Sewer connections 4" to 6" C. Iron pipe
Gas connections None

None
Photograph 4" x 5"

COOKING RANGES INSTALLED
(Give quantity and size)

Coal	✓
Gas	✓
Electric	✓
Oil	✓
Steam	✓

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
(Give quantity and capacity)

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large grid area for sketching and providing data for the basement and floor plans.

REMARKS

A blank area for additional remarks or notes.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch.

Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.




In space under heading "Details" show character of construction, story heights, etc.

Gas, No. _____
Electric, No. *Two* _____
Oil, No. _____
Steam, No. _____
Water, No. _____



DATE		COST	DATE		COST
9/16/40	Installed 1 ea Filter, water	\$10.00			
	"Eclipse" Vouch. #142	\$124.10			
9/4/41	Replacement of (10) Hurricane Shatters				
9/16/41	Installed 1 ea Heater, water #102WG 334 30-gal.				
	twin unit, 1000/1250-W, porcelain to table top				
	metal w/ galvanized copper - bearing steel	\$72.00			
	task 230 Volt, 3-wire 60 cycle. (Vau. #346)	\$12.50			
6/12/41	Installed 1 ea, Darvel mixing valve. Vov. #1287)				

3-8801
AUDITED
FJS
31 JAN 1936
CR
GOVERNMENT PRINTING OFFICE



BASEMENT	FIRST FLOOR	SECOND FLOOR
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE		

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted. If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Indicate location of water and sewer connections in the space above. Show initial dimensions and designation of each room. Indicate location of water and sewer connections.

If plans of building are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

3-5591

O. O. M. G.: Plan No. 625-543 A Building No. 32

Size: Main building _____ Wings _____

a _____
(How heated)

b _____
(Type of heat)

c Electric Water Heater
(Type of domestic hot water heater)

Height of first floor above ground 3'-0"

How lighted Electric

Water connections 2" pipe

Sewer connections 4" c.l. sewer

Gas connections _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____




(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed 1 st Filter, water, "Eclipse" Vouch. # 142	\$10.00			
9/4/41	Replacement of (10) Hurricane Shutters	\$124.10			
6/16/41	Installed Heaters, water, #102WG334, 30-gal. turn unit, 1000/1250-W, porcelain top, table top metal w/ galv. copper-bearing steel base, 230 Volts, 2-wire, 60 cycle (Vouch # 346)	\$72.00			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





BASEMENT FIRST FLOOR SECOND FLOOR
 IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large grid area for sketching the basement and floor plans of the buildings, with dimensions as per the plans above.

REMARKS

Handwritten notes and remarks related to the building plans.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 425-543 A Building No. 33

Place Henry Barracks Porto Rico
Designation of building N. C. O. Quarters Capacity One N. C. O.
Total cost, \$ 5688.63 Date completed Nov. 22, 1930
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 813 sq. ft.
Size: Main building 24'-0" x 30'-6" Wings 9'-0" x 18'-0" Basement _____

a -----
(How heated)

b _____
(Type of heat)

c Electric Water Heater
(Type of domestic hot water heater)

Height of first floor above
ground 3'-0"

How lighted Electric

Water connections 2" pipe

Sewer connections 4" C.I. Sewer

Gas connections _____

COOKING RANGES INSTALLED

Coal, No. -----

Gas, No. _____

Electric, No. One

Oil, No. _____

Steam, No. _____

METERS INSTALLED

Gas, No. _____

Electric, No. Two

Oil, No. _____

Steam, No. _____

Water, No. _____






ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed 1 ea Filter, water "Eclipse" pouch. #142	\$10.00			
9/4/41	Replacement of (10) Hurricane shutters	\$124.10			
6/16/41	Installed 1 ea Heaters water #102W6334, 30 gal. drain unit, 1000/1250-W, porcelain to table top install w/ galvanized copper-bearing steel tank, 220 volt 2-wire, 60 cycle. (You #346)	\$72.00			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

3-8891

O. Q. M. G.: Plan No. 625-543 A Building No. 34

Place Henry Barracks Porto Rico
Designation of building N.C.O. Quarters Capacity One N.C.O.
Total cost, \$ 5688.63 Date completed Nov. 22, 1930
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 813 sq. ft.
Size: Main building 26'-0" x 30'-6" Wings 9'-0" x 18'-0" Basement _____
a _____ Height of first floor above
(How heated) ground 3'-0"
b _____ How lighted Electric
(Type of heat) Water connections 2" pipe
c Electric Water Heater Sewer connections 4" C.I. sewer
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed. 1 ea Filter, water				
	"Eclipse" Vouch. # 142	\$10.00			
9/4/41	Replacement of (10) Hurricane shutters	\$124.10			
9/16/41	Installed 1 ea Water meter #102106334 30 gal.				
	twix unit, 1000/1250-wt porcelain to lake, 1/2				
	metal w/ galvanized copper bearing shaft, 230 Volt, 2-wire, 60 cycle. (Vou. #346)	\$72.00			


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.







BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 625-543 A Building No. 35

Place Henry Barracks Porto Rico
Designation of building N. C. O. Quarters Capacity One N.C.O.
Total cost, \$ 5,688.63 Date completed Nov. 22, 1930
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 813 sq. ft.
Size: Main building 26'-0" x 30'-6" Wings 9'-0" x 18'-0" Basement _____

a	----- (How heated)	Height of first floor above ground ----- 3'-0"
b	----- (Type of heat)	How lighted ----- <i>Electric</i>
c	<i>Electric Water Heater</i> ----- (Type of domestic hot water heater)	Water connections ----- 2" pipe
		Sewer connections ----- 4" C.I. Sewer
		Gas connections -----

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
9/16/40	Installed 1 ea Filter, water				
	"Eclipse" Vouch # 142	\$10.00			
9/4/41	Replacement of (10) Hurricane Shutters	\$124.10			
9/16/41	Installed 1 ea Heater water, #102 WG 334.30				
	gal twin unit 1000/1250-W, porcelain & table				
	top metal w/ galv. copper heating, steel tank,				
	230 volt, 2-wire, 66 cycle (Vouch # 346)	\$72.00			


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.







BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. 625-543 A Building No. 36

Place Henry Barracks Porto Rico
Designation of building N.C.O. Quarters Capacity One N.C.O.
Total cost, \$ 5688.63 Date completed Nov. 22, 1930.
Material: Walls Concrete & Tile Foundation Concrete
Roof French Tile Floors Tile
Total floor area above basement, square feet 813 sq. ft.
Size: Main building 26'-0" x 30'-6" Wings 9'-0" x 18'-0" Basement _____

a -----
(How heated)

b -----
(Type of heat)

c ----- *Electric Water Heater* -----
(Type of domestic hot water heater)

Height of first floor above ground *3'-0"*
How lighted *Electric*
Water connections *2" pipe*
Sewer connections *4" C.I. Sewer*
Gas connections

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. Two
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS





(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted. If plans not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. If building is 4' or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 37-T





A black and white photograph of a single-story house with a prominent front porch. The porch has a dark roof and is supported by dark posts. The house has light-colored siding and a gabled roof. There are bushes in front of the porch and a small set of stairs leading up to the entrance.

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
10/15/40	Heater hot water and tank installed	\$36.00			
11/12/40	(2) Original flush valves (ouchy #296)	\$33.60			
"	(2) Flush valves, water closet non-overflow \$21.00 each #296	\$42.00			
"	Shower complete with fittings, cold & hot 1/2" nickel plated (\$12.00) ea #296	\$12.00			

INSTRUCTIONS — "a" State whether heated from central heating or by individual heating plants, stoves, furnaces.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted. If plans not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Plans may be at 1/4", 1/2", or 3/4", etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.


A sepia-toned photograph of a long, two-story building with a wide, covered porch. The building has a gabled roof with several chimneys. It is situated on a grassy field. The caption below the photo reads: "Hotel El Estero."

Gas _____ None _____
Electric 6 Not U. S. Property
Oil _____ None _____
Steam _____ " _____
Water _____ " _____


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
11/12/40	1 Lavatory, wall type installed	\$16.50			
6/12/41	shipped by Vord. # 296 Installed (3) ea Marvel mixing valve, 1/2" (bu. 1287)	\$ 12.50			


See reverse side of form.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten remarks area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

39-T

A black and white photograph of a long, single-story house with a wide, low-pitched roof and three chimneys. The house has a covered porch area supported by columns. It is situated on a grassy field with hills in the background.

P407

METERS INSTALLED

(Give quantity and capacity)

Gas	None
Electric	4 - US property
Oil	None
Steam	"
Water	"

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
7/25/41	Two light meters were re-moved, and one kitchen sink and installed elsewhere				
6/12/47	Installed (2) <u>ev.</u> Marvel mixing valve $\frac{1}{2}$ " Voucher # 1287	\$12.50 ✓			

3-8891

BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No.

Building No. 46

Place Henry Headaches, Meriden, Conn.
Designation of building Water Pump House Capacity 1280
Total cost, \$ 6,300.00 Date completed April 8, 1971
Material: Walls wood and zinc Foundation concrete
Roof zinc Floors concrete
Total floor area above basement, square feet 160
Size: Main building 10' x 16' Wings _____ Basement _____
a _____ Height of first floor above
(How heated) ground _____
b _____ How lighted Electricity
(Type of heat) Water connections 4" pipe
c _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large sheet of graph paper with a grid pattern, intended for drawing basement and floor plans. The grid consists of small squares, and the paper is oriented horizontally. The top edge of the paper has some faint, partially visible text from the reverse side, which appears to read: "IN SPACE BELOW DRAW BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE". The paper is otherwise blank, with no drawings or markings.

REMARKS


INSTRUCTIONS

INSTRUCTIONS


If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.


U. S. GOVERNMENT PRINTING OFFICE
16-8668




BASEMENT



FIRST FLOOR






SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS


INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.


If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

48


16-8668




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place Henry Barracks, Puerto Rico.
 Designation of building Hq. Annex (Administration) Capacity 10,800 cu.ft.
 Total cost, \$ 2,000 Date completed March 20, 1941.
 Material: Walls Wood Foundation Wooden Posts
 Roof Wood rafters, sheathing & prepared Floors Wood
roofing paper # 85
 Total floor area above basement, square feet 1,200
 Size: Main building 60' x 20' Wings _____ Basement _____
 a _____ Height of first floor above
 (How heated) ground From 1' to 2'
 b _____ How lighted Electricity
 (Type of heat) Water connections _____
 c _____ Sewer connections _____
 (Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.







BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

In space under heading "Details" show character of construction, story heights, etc.





O. Q. M. G.: Plan No. 6578-125 Building No. 50

Gas, No. _____
Electric, No. *Two* _____
Oil, No. _____
Steam, No. _____
Water, No. _____



DATE		COST	DATE		COST
1940	Demolition of old wooden tar and paper roof				
"	Construction of concrete reinforced steel & tiles, rewiring, repainting inside & gut; construction of interior concrete wall increasing number of rooms from 9 to 10.	\$ 751.88			
"	Construction of 17 storm windows	\$3,355.47 + 59.17			

See reverse side of form.



BASEMENT

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Plans should be 4' or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connection.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connection. "Details" show character of construction, story heights, etc.

3-5901

3-8891

51

Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____
Water, No. _____




(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


See reverse side of form.




GOVERNMENT PRINTING OFFICE




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. 6578-134 Building No. 53

1-48

A black and white photograph of a long, single-story building with a central gabled section and long covered walkways on either side. The building is situated on a grassy field with a utility pole in the foreground.

METERS INSTALLED


Gas None
Electric One (1)
Oil None
Steam "
Water "

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

1-47

Place HENRY BARRACKS, PUERTO RICO

Designation of building GARAGE Capacity 7 vehicles

Total cost, \$ 3752.50 Date completed Dec. 31, 1931

Material: Walls Concrete and tile Foundation Concrete

Roof Flat tile roof on wood framing Floors Cement

Total floor area above basement, square feet 2270 Sq. Ft.

Size: Main building 30'0" x 83'8" Wings None Basement _____

a _____ Not heated Height of first floor above ground 6"
(How heated)

b _____ None How lighted Electric
(Type of heat)

c _____ None Water connections 3/4" pipe
(Type of domestic hot water heater)

Sewer connections 4" sewer

Gas connections None

COOKING RANGES INSTALLED **REFRIGERATORS INSTALLED** **METERS INSTALLED**
(Give quantity and size) (Give quantity and size) (Give quantity and capacity)

Coal None Gas None Gas None

Gas " Electric " Electric One (1)

Electric " Ice " Oil None

Oil " Steam "

Steam " Water "



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.

Place HENRY BARRACKS, PUERTO RICO 100 to
Designation of building Sewage Disposal Plant Capacity 5000 Persons
Total cost, \$ 3744.88 Date completed 1932
Material: Walls Reinforced concrete Foundation Concrete
Roof None Floors Concrete
Total floor area above basement, square feet 1264 sq ft Syphon Chamber
Size: Main building 47'8" x 26'6" Wings 7'-5" x 7'-5" Basement None
a _____ Height of first floor above
(How heated) ground _____
b _____ How lighted Not lighted
(Type of heat) Water connections Yes
c _____ Sewer connections Yes
(Type of domestic hot water heater) Gas connections No

COOKING RANGES INSTALLED (Give quantity and size) Coal _____ Gas _____ Electric _____ Oil _____ Steam _____	REFRIGERATORS INSTALLED (Give quantity and size) Gas _____ Electric _____ Ice _____	METERS INSTALLED (Give quantity and capacity) Gas _____ Electric _____ Oil _____ Steam _____ Water _____
--	--	---




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE	NOTE:	COST	DATE	COST
	The above plant consist only of Septic tank and syphon chamber. The sprinkler bed was not constructed as it was not consider necessary.			
1940	Construction of concrete slab with reinforced steel over the entire surface of the six compartments and screening.	\$1,497.91.		

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

[illegible]

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

U. S. GOVERNMENT PRINTING OFFICE 3-8891

Post Plan No. -----

O. Q. M. G.: Plan No. HB-4 Building No. 56


Place Henry Barracks Porto Rico
Designation of building Pump House Capacity _____
Total cost, \$ 1386.98 Date completed Jan. 1931.
Material: Walls Concrete Foundation Concrete
Roof Concrete Floors Cement
Total floor area above basement, square feet 256 sq ft No Floor above Basement
Size: Main building 16'-0" x 16'-0" Wings _____ Basement _____
a _____ Height of first floor above ground 6'-0" below
(How heated) _____
b _____ How lighted Electric
(Type of heat) _____
c _____ Water connections 4"
(Type of domestic hot water heater) _____ Sewer connections 4" drain pipe
Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. _____
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



GOVERNMENT PRINTING OFFICE



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large sheet of graph paper with a grid pattern, intended for sketching basement and floor plans. The paper is yellowed and shows signs of age. The grid lines are thin and dark. The paper is slightly wrinkled and has some discoloration. The text at the top is partially visible and reads: "IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF [illegible], GIVING DATA AS PER PLANS ABOVE".

REMARKS

INSTRUCTIONS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

able make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

3-8891

Place HENRY BARRACKS, PUERTO RICO

Designation of building Pump House - Pumping Plant Capacity 80 G.P.M.

Total cost, \$ 1386.98 Date completed January 1931

Material: Walls Concrete Foundation Concrete

Roof Concrete Floors Concrete

Total floor area above basement, square feet No floor above basement

Size: Main building 16'0" x 16'0" Wings None Basement None

a -- Height of first floor above ground 6'0" below
(How heated)

b -- How lighted Electric
(Type of heat)

c -- Water connections 4"
(Type of domestic hot water heater) Sewer connections 4" drain pipe
Gas connections No

COOKING RANGES INSTALLED
(Give quantity and size)

(Give quantity and size)	
Coal _____	None
Gas _____	"
Electric _____	"
Oil _____	"
Steam _____	"

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas	None
Electric	"
Ice	"

METERS INSTALLED

(Give quantity and capacity)


Gas None

Electric One (1)

Oil None

Steam "

Water "



ADDITIONS AND INSTALLATIONS


(See Remark)

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS AND

This Form was originally submitted by 1st Lieut. C. E. Smith in 1931 - and this is an extra copy for description of the Pumping plant (See attached QMC Form No. 107 - Covering equipment installed.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

U. S. GOVERNMENT PRINTING OFFICE 3-8891

WATER PUMPING PLANTS

Originally submitted-
February 28, 1933

At HENRY BARRACKS, PUERTO RICO.

Date

U. S. GOVERNMENT PRINTING OFFICE: 1929 3-9772

CENTRIFUGAL, TURBINE, AND DIRECT-ACTING PUMPS

BLDG. NO.	UNIT NO.	NAME OF MANUFACTURER	TYPE	SHOP NO.	BELTED OR DIRECT CONNECTED	HOW DRIVEN	DRIVING UNIT			NAME-PLATE DATA			OPERATING CONDITIONS		DIAMETER		COST	DATE INSTALLED
							H. P.	Make	Shop No.	Total head	Cap., G.P.M.	R. P. M.	Suct. lift	Disch. head	Suct.	Disch.		
	1	Sterling Pump Co	Deep Well	5990	Direct	Elect.	7.5	U.S. Electric	226794	160	80	3600	165 ft		4"	4"	\$850.00	1931
	1	Pumona Pump Co.	Pump		"	"	7.5	Mfg. Co.			.75				4"	4"	1,300.00	1941
		Vol. # 652	Co. Deep well															

AIR-LIFT PUMPS

WELL NO.	UNIT NO.	NAME OF MANUFACTURER	DIAMETER			PRESSURE		ELEVATION OF DISCHARGE	GALLONS PER MINUTE DELIVERED	DEPTH OF WATER INTAKE	COST	DATE INSTALLED
			Ft. piece	Eduction pipe	Air pipe	Starting	Operating					

AIR COMPRESSORS

BLDG. NO.	UNIT NO.	NAME OF MANUFACTURER	HOW DRIVEN	DRIVING UNIT			CAPACITY	R. P. M.	LENGTH STROKE	DIA. CYLS.	AIR RECEIVER		COST	DATE INSTALLED
				H. P.	Make	Shop No.					Diameter	Length		

Remarks:

INSTRUCTIONS

CENTRIFUGAL, TURBINE, AND DIRECT-ACTING PUMPS

BUILDING NUMBER.—Give building where pump is installed or well number where air-lift pump is installed.

UNIT NUMBER.—Give number used by the utilities officer on his records of the apparatus referred to.

TYPE.—State whether centrifugal, turbine, or direct acting.

HOW DRIVEN.—State whether motor, gas engine, steam.

TOTAL HEAD, CAPACITY, AND R. P. M.—Take these items from name-plate data.

OPERATING CONDITIONS.—

Suction Lift.—Give suction lift under which pump is operating.

Discharge Head.—Give total head under which pump is operating. This includes static plus friction head.

AIR-LIFT PUMPS

EDUCTION PIPE.—Give diameter of water discharge pipe.

PRESSURE.—Give pressure in pounds at which water starts to flow and pressure at which water continues to flow.

ELEVATION OF DISCHARGE.—Give height from ground to point or level at which water is discharged.

DEPTH OF WATER INTAKE.—Give distance from ground level to water intake of air lift.

AIR COMPRESSORS

AIR RECEIVER.—Give dimensions of air storage tanks.

This form is for permanent record and will be used only when new installations are made or extensive alterations or additions are first completed and turned over for use.

Forms will be prepared in triplicate. One copy of each form will be retained at the station where prepared, one copy will be forwarded to the Department or Corps Area Commander, and one copy (the original) will be forwarded to the Quartermaster General. At independent stations forms will be prepared only in duplicate, one copy for retention at the station and the other for submission to the Quartermaster General.

Slight modifications, alterations, or additions will be reported promptly upon completion of the work to the Quartermaster General, as directed in par. 7, AR 30-1770.

O.Q.M.G.: Plan No. _____

Building No.

59 (57)

Designation of building RESERVOIR Capacity 100,000 Gals

Total cost, \$ 2,055.53 Date completed March 23, 1932

Material: Walls Reinforced concrete Foundation Concrete

Roof	Reinforced concrete	Floors	Concrete
------	---------------------	--------	----------

Total floor area above basement, square feet 1152 Sq. Ft.

Size: Main building 26'0" x 51'0" Wings None Basement None

a _____ Not heated _____ Height of first floor above _____

(How heated)

b _____ None _____ How lighted Not lighted

(Type of heat) _____

Water connections _____ Yes

c None Sewer connections No

(Type of domestic hot water heater) _____

COOKING RANGES INSTALLED REFRIGERATORS INSTALLED METERS INSTALLED

(Give quantity and size) (Give quantity and size) (Give quantity and capacity)

Coal	None	Gas	None	Gas	None
G	"	Fl	"	Fl	"

Gas	Electric	Electric
Fl.	Fl.	Oil

Electric ----- " ----- Oil ----- " -----
 Oil ----- " ----- Gas ----- " -----

Oil	—	Steam	—
Water	—	Water	—


Steam ----- " ----- Water ----- " -----



(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.



BASEMENT FIRST FLOOR SECOND FLOOR
 IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large grid area for sketching the basement and floor plans of the buildings, giving data as per plans above.

REMARKS


Handwritten remarks section with multiple lines for notes.

INSTRUCTIONS



If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

16-8068



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc.

57-7

Place HENRY BARRACKS, PUERTO RICO
Designation of building Fuel Station Capacity 87'6" Sq. Ft.
Total cost, \$ 40.00 Date completed 1938
Material: Walls Lumber Foundation Concrete
Roof Tar paper Floors Concrete
Total floor area above basement, square feet 87'6" Sq. Ft.
Size: Main building 10'6" x 8'4" Wings None Basement None
a --- Height of first floor above ground 30"
(How heated)
b --- How lighted Electrically
(Type of heat)
c --- Water connections No
(Type of domestic hot water heater) Sewer connections No
Gas connections No

COOKING RANGES INSTALLED

(Give quantity and size)


Coal _____	None
Gas _____	"
Electric _____	"
Oil _____	"
Steam _____	"

REFRIGERATORS INSTALLED

Gas _____ None _____
Electric _____ " _____
Ice _____ " _____

METERS INSTALLED

Gas _____ **None** _____
Electric _____ " _____
Oil _____ " _____
Steam _____ " _____
Water _____ " _____




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

G.

60

A large, cylindrical, weathered metal structure, possibly a silo or tank, situated in a wooded area. The structure is surrounded by dense vegetation and trees. A wooden post is visible in the foreground on the left.

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

See reverse side of form.

BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place	HENRY BARRACKS; PUERTO RICO		
Designation of building	COLLECTING RESERVOIR	(Navy)	Capacity 8332 Gals.
Total cost, \$	250.00	Date completed	Unknown
Material: Walls	Stone and concrete	Foundation	Stone and concrete
Roof	None	Floors	Stone and concrete
Total floor area above basement, square feet	371	Sq. Ft.	
Size: Main building	45'0" x 12'0"	Wings	None
		Basement	None
a	--	Height of first floor above ground	--
	(How heated)	How lighted	Not lighted
b	--	Water connections	Yes 4" Gal.
	(Type of heat)	Sewer connections	No
c	--	Gas connections	No
	(Type of domestic hot water heater)		

COOKING RANGES INSTALLED
(Give quantity and size)

Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____ None _____
Electric _____ " _____
Ice _____ " _____

METERS INSTALLED
(Give quantity and capacity)

(Give quantity and capacity)	
Gas	None
Electric	"
Oil	"
Steam	"
Water	"




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT FIRST FLOOR SECOND FLOOR
 IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

In space under heading "Details" show character of construction, story heights, etc.

O. Q. M. G.: Plan No. S.J. 9-1A Building No. 62

Place Henry Barracks Porto Rico
Designation of building Recreation Building Capacity _____
Total cost, \$ 9,255.07 Date completed Feb. 24, 1931
Material: Walls Concrete & Tile Foundation Concrete
Roof Concrete & Built-up Roof Floors Cement & Hardwood
Total floor area above basement, square feet 3854 sq. ft.
Size: Main building 49'-6" x 83'-0" Wings _____ Basement _____
a _____ Height of first floor above ground 6"
(How heated)
b _____ How lighted Electric
(Type of heat) Water connections 1 1/4" pipe
c _____ Sewer connections 4" s. sewer
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. _____
Oil, No. _____
Steam, No. _____

METERS INSTALLED

Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)






DATE		COST	DATE		COST
11/12/40	Lavatory wall type shipped by Van. #. 296 installed	\$16.50 ✓			
1940	Recovered roof	\$686.36			
"	Construction of 20 storm windows	340.20			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.

AUDITED
FJS
31 JAN 1931
CR

GOVERNMENT PRINTING OFFICE



If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

Make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

3-8891

Post Plan No. _____

O. Q. M. G.: Plan No. 6578-126 Building No. 63

Place Henry Barracks Porto Rico
Designation of building Post Exchange Capacity _____
Total cost, \$ 8,585.30 Date completed Dec. 19, 1931.
Material: Walls Concrete & Tile Foundation Concrete
Roof Built-up Roof Floors Cement
Total floor area above basement, square feet 2170 sq. ft.
Size: Main building 47'-3" x 47'-3" Wings _____ Basement _____

a	(How heated)	Height of first floor above ground <u>3'-6"</u>
b	(Type of heat)	How lighted <u>Electric</u>
c	(Type of domestic hot water heater)	Water connections <u>1 1/4" pipe</u>
		Sewer connections <u>4" S. Sewer</u>
		Gas connections

COOKING RANGES INSTALLED

Coal, No. _____
Gas, No. _____
Electric, No. _____
Oil, No. _____
Steam, No. _____

Height of first floor above ground 3'-6"
How lighted Electric
Water connections 1 1/4" pipe
Sewer connections 4" S. Sewer
Gas connections _____

METERS INSTALLED

Gas, No. _____
Electric, No. One
Oil, No. _____
Steam, No. _____
Water, No. _____



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


DATE		COST	DATE		COST
1940	Demolition of old wooden tax and paper roof	\$ 501.75			
"	Construction of concrete reinforced steel & tiles; new wiring & painting; opened one door; construction of concrete basement	\$1,505.25			
"	Construction of 16 storm windows	432.16			

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.

AUDITED
FIS
31 JAN 1936
CR


GOVERNMENT PRINTING OFFICE




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

old Officer in charge Des

Post Plan No.

O.Q.M.G.: Plan No.

Building No. 64 ✓

Place HENRY BARRACKS, PUERTO RICO
Designation of building OFFICERS CLUB (Navy) Capacity 2354 Sq.Ft.
Total cost, \$ 3,000.00 (Estimated) Date completed Unknown
Material: Walls Lumber Foundation Piers
Roof Asphalt Compound Floors Lumber
Total floor area above basement, square feet 2354 Sq. Ft.
Size: Main building 31'6" x 40'6" Wings 18'9" x 23'10" Basement ---
a --- (How heated) (17'9" x 38'0") Height of first floor above ground 30"
b --- (Type of heat) How lighted Electricity
c --- (Type of domestic hot water heater) Water connections Yes
Sewer connections Yes
Gas connections No

COOKING RANGES INSTALLED
(Give quantity and size)

Coal None
Gas "
Electric One (1)
Oil None
Steam "

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas None
Electric One (1)
Ice None

METERS INSTALLED
(Give quantity and capacity)

Gas None
Electric One (1)
Oil None
Steam "
Water "



Fair





ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

DATE		COST	DATE		COST
12/30/40	Installed 1 ea water closets Vitreous China reverse trap tank cover, water area, 9" x 10 1/4" Passageway	\$24.35 ✓			
12/30/40	Installed 1 ea Cabinet, bath room w/ Chromium framed mirror size overall 16" x 22" Vou. # 678	9.75 ✓			
12/30/40	Installed 1 ea Set bath fixture brass chr. plated w/ soap dishes bath robe hook, sq. towel bars, tumbler & tooth brush holder, paper holder Vou. # 678	9.75 ✓			
12/30/40	Installed 1 ea Closet water, Chrome cup & Vitreous China reverse trap closet tank fastened to edge of bowl with 3 bolts Vou. # 678	18.00 ✓			
6/16/41	Installed (1) ea Heater electric water, 14.20 gals. w/ two units one 1500 Watts				

INSTRUCTIONS.—"a" State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
"b" State whether steam, vapor, hot water, or hot air.
"c" State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE


Grid area for sketching and data entry.

REMARKS


INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc:

Place Henry Barracks, Puerto Rico.
Designation of building Wash Rack Capacity _____
Total cost, \$ 295.46 Date completed May 17, 1941.
Material: Walls _____ Foundation Concrete reinforced
Roof _____ Floors Concrete
Total floor area above basement, square feet _____
Size: Main building _____ Wings _____ Basement _____
a _____ Height of first floor above
(How heated) ground _____
b _____ How lighted _____
(Type of heat) Water connections _____
c _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)





ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 67-T

Place Henry Barracks, Puerto Rico.

Designation of building Wash Rack Capacity _____

Total cost, \$ 2,455.00 Date completed _____

Material: Walls _____ Foundation Concrete reinforced

Roof _____ Floors Concrete

Total floor area above basement, square feet _____

Size: Main building 8-6-x33 Wings _____ Basement _____

a _____ Height of first floor above ground _____
(How heated)

b _____ How lighted _____
(Type of heat)

c _____ Water connections _____
(Type of domestic hot water heater) Sewer connections _____
Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas _____

Electric _____

Ice _____

METERS INSTALLED

(Give quantity and capacity)

Gas _____

Electric _____

Oil _____

Steam _____

Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)





ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc.





A black and white photograph of a long, single-story building with a flat roof and large windows, situated in a field. Several people are visible near the building.

ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

16-8668



BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No.

Building No. 69

Place Henry Barracks, Puerto Rico.
Designation of building Wash Rack Capacity _____
Total cost, \$ 278.20 Date completed May 2, 1941.
Material: Walls _____ Foundation Concrete reinforced
Roof _____ Floors "
Total floor area above basement, square feet _____
Size: Main building _____ Wings _____ Basement _____
a. _____ Height of first floor above
(How heated) ground _____
b. _____ How lighted _____
(Type of heat) Water connections 1½" Pipes
c. _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)





ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

FIRST FLOOR

SECOND FLOOR

DETAIL

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch.

Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

In space under heading "Details" show character of construction, story heights, etc.

70

Place HENRY BARRACKS, PUERTO RICO
Designation of building Flagstaff Capacity _____
Total cost, \$ 500.00 Date completed 1932
Material: Walls Steel Foundation concrete
Roof _____ Floors _____
Total floor area above basement, square feet _____
Size: Main building 10" diameter at base Wings _____ Basement _____
a. _____ Height of first floor above ground level 65 feet
(How heated) _____
b. _____ How lighted _____
(Type of heat) _____ Water connections _____
c. _____ Sewer connections _____
(Type of domestic hot water heater) _____ Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)


Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
(Give quantity and capacity)

Gas _____
Electric _____
Oil _____
Steam _____
Water _____




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Handwritten notes area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place HENRY BARRACKS, PUERTO RICO
Designation of building Bridge Capacity 411 Sq.Ft.
Total cost, \$ 2667.49 Date completed 1932
Material: Walls Reinforced Concrete Foundation Concrete
Roof _____ Floors Reinforced concrete under road pavement
Total floor area above basement, square feet 411 feet
Size: Main building 26'-6" x 15'-6" Wings _____ Basement None
a _____ Height of first floor above ground Level with ground
(How heated)
b _____ How lighted Electrically
(Type of heat) Water connections No
c _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas _____

Electric _____

Ice _____

METERS INSTALLED

(Give quantity and capacity)

Gas _____

Electric _____

Oil _____

Steam _____

Water _____






ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

BASEMENT	FIRST FLOOR
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE.	

BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large grid of graph paper, consisting of many small squares, intended for sketching architectural plans. The grid is divided into three vertical sections by two vertical lines. The left section is approximately 25% of the width, the middle section is approximately 40%, and the right section is approximately 35%. The grid is used for sketching the basement and floor plans of buildings, with data as per plans above.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be sketch plans and notes. The sketch plans should be of "quarter" size. Similar plans may be made for all types of buildings. There are 10 squares to the inch.

If plans of building are available, make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Plans may be made for 4' or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

If plans are not available in the above spaces, show character of construction, story heights, etc. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building. In space under heading "Details" show character of construction, story heights, etc.

Post Plan No. -----

O.Q.M.G.: Plan No. None

Building No.

72

Place	HENRY BARRACKS, PUERTO RICO		
Designation of building	Post Cemetery	Capacity	50,616 Sq. Ft.
Total cost, \$	Part of Reservation	Date completed	1899
Material: Walls	None	Foundation	Earth
Roof	None	Floors	None
Total floor area above basement, square feet	50,616 Sq. Ft.		
Size: Main building	222'0" x 228'0"	Wings	1
		Basement	None
a	None	Height of first floor above ground	
	(How heated)		
b	None	How lighted	Not lighted
	(Type of heat)		
c	None	Water connections	3/4"
	(Type of domestic hot water heater)	Sewer connections	None
		Gas connections	None

COOKING RANGES INSTALLED
(Give quantity and size)

Coal	None
Gas	None
Electric	None
Oil	None
Steam	None

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas None


Electric None

Ice None

METERS INSTALLED

WATERS INSTALLED
[Give quantity and capacity]

Gas	None
Electric	None
Oil	None
Steam	None
Water	None




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

SIZE OF CEMETERY
222'-0" x 228'-0" = 50,616 sq. ft.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching and data entry.

REMARKS

Horizontal lines for remarks.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place Henry Barracks, Puerto Rico
Designation of building Regimental Chapel, Type CM-1 Capacity 362 seats
Total cost, \$ 25,862.25 * Date completed January 3, 1942
Material: Walls Wooden Foundation Concrete Reinforced
Roof Wooden - 15 Pelt Asphalt 85# Roofing paper Floors Concrete Reinforced
Total floor area above basement, square feet 3,006'-3"
Size: Main building 61'-3" x 37' Wings None Basement None
a Not heated Height of first floor above ground 12"
(How heated)
b None How lighted Electricity
(Type of heat)
c None Water connections 1-1/4"
(Type of domestic hot water heater) Sewer connections 4" to 6"
Gas connections None

COOKING RANGES INSTALLED
(Give quantity and size)

Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas _____

Electric _____

Ice _____

Electric Organ and Pews to
be installed being purchased
by the Washington QM Depot.

METERS INSTALLED

(Give quantity and capacity)

Gas	_____
Electric	_____
Oil	_____
Steam	_____
Water	_____

Approval of Secretary of War
as required by A. R. 30-1435

(Give date and File Number)

ADDITIONS AND INSTALLATIONS





(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





BASEMENT
FIRST FLOOR
SECOND FLOOR
DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE





Grid area for sketching basement and floor plans.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.



BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE





REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc.

16-8668






BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.





If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 78-E

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

16—8668



BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

FIRST FLOOR

SECOND FLOOR

DETAIL

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No.

Building No.

79-5

Place Henry Barrack & Partners, Inc.
 Designation of building Many Bldg. - latrine Capacity 1289
 Total cost, \$ 393.37 Date completed May 2, 1941
 Material: Walls _____ Foundation Concrete & Reinforced
 Roof Wood and prepared roofing paper #85 Floors Concrete
 Total floor area above basement, square feet 145
 Size: Main building 13'9" x 11' 9" Wings _____ Basement _____

a	(How heated)	Height of first floor above ground
b	(Type of heat)	How lighted <i>Electricity</i>
c	(Type of domestic hot water heater)	Water connections <i>1" copper</i>
		Sewer connections <i>2" and 4" CP</i>
		Gas connections

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



REMARKS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted. If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. If space is available, show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

U. S. GOVERNMENT PRINTING OFFICE 16-5668

Place HENRY BARRACKS, PUERTO RICO

Designation of building POWER HOUSE

Designation of building _____
Total cost, \$ 20,000.00

Date completed Unknown

Material: Walls Concrete

Foundation Concrete

Roof Concrete slab

Floors	Concrete
--------	----------

Total floor area above basement, square feet 6095 Sq. Ft.

6095 Sq. Ft.

Size: Main building 52'0" x 84'0"

Wings 13'6" x 79'0"
41'6" x 32'6" Basement None

a _____ (How heated)

Height of first floor above ground 2"

b _____ (Type of heat)

How lighted Not lighted at present

C _____ (Type of domestic hot water heater)

Water connections ----- Yes

Sewer connections _____ Yes

Gas connections.....No

COOKING RANGES INSTALLED

(Give quantity and size)

Coal None

Gas _____

Electric _____ "

Oil 11

Steam 11

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas None

Electric

Ice ----- 11

METERS INSTALLED

(Give quantity and capacity)

Gas None

Electric _____

Oil _____ 11

Steam 11

Water 99



Good


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place	HENRY BARRACKS, PUERTO RICO		
Designation of building	Receiving house	(Navy)	Capacity 387-Sq.Ft.
Total cost, \$	1500.00	(Estimated)	Date completed Unknown
Material: Walls	Concrete	Foundation	Concrete
Roof	Concrete slab	Floors	Concrete
Total floor area above basement, square feet	387 Sq. Ft.		
Size: Main building	19'6" x 23'6"	Wings	None
a	--	Basement	None
	(How heated)	Height of first floor above ground	8"
b	--	How lighted	Electricity
	(Type of heat)	Water connections	Yes
c	--	Sewer connections	Yes
	(Type of domestic hot water heater)	Gas connections	No

COOKING RANGES INSTALLED
(Give quantity and size)

(Give quantity and size)	
Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas _____ None _____

Electric _____ " _____

Ice _____ " _____

METERS INSTALLED

Gas None
Electric "
Oil "
Steam "
Water "







ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.



BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching basement and floor plans.

REMARKS

Horizontal lines for remarks.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place	HENRY BARRACKS, PUERTO RICO		
Designation of building	Warehouse	(Navy)	Capacity 1634 Sq.Ft.
Total cost, \$	2,500.00	Date completed	Unknown
Material: Walls	Concrete	Foundation	Concrete
Roof	Tar paper	Floors	Concrete
Total floor area above basement, square feet	1634 Sq. Ft.		
Size: Main building	45'0" x 40'0"	Wings	None
		Basement	None
a	--	Height of first floor above ground	4"
	(How heated)	How lighted	Not lighted
b	--	Water connections	None
	(Type of heat)	Sewer connections	"
c	--	Gas connections	"
	(Type of domestic hot water heater)		

COOKING RANGES INSTALLED
(Give quantity and size)

Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas None

Electric "

Ice "

METERS INSTALLED

Gas _____ None _____
 Electric _____ " _____
 Oil _____ " _____
 Steam _____ " _____
 Water _____ " _____



Fair





ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place HENRY BARRACKS, PUERTO RICO

Designation of building Storage shep (Navy) Capacity 81 Sq.Ft.

Total cost, \$ 75.00 Date completed 1943

Material: Walls Concrete Foundation Concrete

Roof Tar paper Floors Concrete

Total floor area above basement, square feet 81 Sq. Ft.

Size: Main building 9'-10" x 9'-10" Wings None Basement None

a -- Height of first floor above ground 4"
(How heated)

b -- How lighted Not lighted
(Type of heat)

c -- Water connections No
(Type of domestic hot water heater) Sewer connections No
Gas connections No

COOKING RANGES INSTALLED
(Give quantity and size)

(Give quantity and size)	
Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

Gas _____ None _____
Electric _____ " _____
Ice _____ " _____

METERS INSTALLED

EQUIPMENT INSTALLED	
(Give quantity and capacity)	
Gas	None
Electric	"
Oil	"
Steam	"
Water	"



Fair





ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Place	HENRY BARRACKS, PUERTO RICO		
Designation of building	Wash House	Capacity	114 Sq.Ft.
Total cost, \$	300.00	Date completed	
Material: Walls	Concrete	Foundation	Concrete
Roof	Concrete slab	Floors	Concrete
Total floor area above basement, square feet	114 sq. ft.		
Size: Main building	7'6" x 19'6"	Wings	None
		Basement	None
a		Height of first floor above ground	4"
	(How heated)	How lighted	Not lighted
b		Water connections	No
	(Type of heat)	Sewer connections	No
c		Gas connections	No
	(Type of domestic hot water heater)		

COOKING RANGES INSTALLED

(Give quantity and size)

Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

Gas _____ None _____
Electric _____ " _____
Ice _____ " _____

METERS INSTALLED

(Give quantity and capacity)

Gas	None
Electric	"
Oil	"
Steam	"
Water	"




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)



[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



DETAIL



REMARKS

INSTRUCTIONS

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

U. S. GOVERNMENT PRINTING OFFICE 3-8891

Place HENRY BARRACKS, PUERTO RICO.

Designation of building Target Range and Range House Capacity 12 ^{8.4} ~~Targets~~

Total cost, \$ 1813.75 Date completed June 30, 1919

Material: Walls Concrete Foundation Concrete

Roof Range House-Tar Paper (Target Range Open Floors Concrete)

Total floor area above basement, square feet 351 Sq.Ft. (Range House)

Size: Main building 14'-0" x 28'-0" Wings None Basement None

a. _____
(How heated) _____

b. _____
(Type of heat) _____

c. _____
(Type of domestic hot water heater) _____

Height of first floor above ground 3" Range House

How lighted Not lighted

Water connections Yes - 1/2"

Sewer connections No

Gas connections No

COOKING RANGES INSTALLED
(Give quantity and size)

Coal None

Gas "

Electric "

Oil "

Steam "

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas None

Electric "

Ice "

METERS INSTALLED
(Give quantity and capacity)

Gas None

Electric "

Oil "

Steam "

Water "




ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

Grid area for sketching basement and floor plans.

REMARKS

Handwritten remarks area.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 86-7

COOKING RANGES INSTALLED
(Give quantity and size)

REFRIGERATORS INSTALLED
(Give quantity and size)

METERS INSTALLED
[(Give quantity and capacity)]


Gas _____
Electric _____
Oil _____
Steam _____
Water _____

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No. _____ Building No. _____

117 (Old No. 173AD)
 ue 28, 1939

Place Army Barracks, Puerto Rico
 Designation of building Cas Ramp House Capacity 324 w. ft.
 Total cost, \$ 1380.00 Date completed _____
 Material: Walls Wood and Glass Foundation Concrete Reinforced
 Roof Wood and prepared roofing paper #85 Floors Concrete
 Total floor area above basement, square feet 36'
 Size: Main building 65' x 61' Wings _____ Basement _____
 a _____ (How heated) Height of first floor above ground 1'
 b _____ (Type of heat) How lighted Electricity
 c _____ (Type of domestic hot water heater) Water connections _____
 Sewer connections _____
 Gas connections one

COOKING RANGES INSTALLED (Give quantity and size)
 Coal _____
 Gas _____
 Electric _____
 Oil _____
 Steam _____

REFRIGERATORS INSTALLED (Give quantity and size)
 Gas _____
 Electric _____
 Ice _____

METERS INSTALLED (Give quantity and capacity)
 Gas _____
 Electric _____
 Oil t
 Steam _____
 Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. _____ 90-E

a	(How heated)	Height of first floor above ground 1' to 4'
b	(Type of heat)	How lighted Electricity
c	Coal Water Heater (Type of domestic hot water heater)	Water connections 2" G.I. Pipe Sewer connections 4" C.I. " Gas connections None

METERS INSTALLED

(Give quantity and capacity)


Gas	None
Electric	"
Oil	"
Steam	"
Water	"

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS


If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.


O.Q.M.G.: Plan No. _____ Building No. 91-E

[illegible]

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No. _____ Building No. 92-E

a	(How heated)	Height of first floor above ground <u>1" to 4"</u>
b	(Type of heat)	How lighted <u>Electricity</u>
c	<u>Coal Water Heater</u> (Type of domestic hot water heater)	Water connections <u>2" G.I. Pipe</u> Sewer connections <u>4" C.I. "</u> Gas connections <u>None</u>

METERS INSTALLED
[(Give quantity and capacity)]


Gas _____ None _____
Electric _____ 7 _____
Oil _____ " _____
Steam _____ " _____
Water _____ " _____

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


See reverse side of form.




BASEMENT



FIRST FLOOR




SECOND FLOOR




DETAIL


IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



SCALE: $3/32" = 1'$



SCALE: $3/32" = 4'$



SCALE: $3/32" = 3 \frac{1}{3}'$

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 93-E

Place Henry Barracks, Puerto Rico.
Designation of building Standard Mess Hall Capacity 28,000 cu.ft.
Total cost, \$ 3,238.00 Date completed February 28, 1941.
Material: Walls Wood & Foundation Wooden Posts
Roof Wood Rafters, sheathing prepared Floors Wood
Total floor area above basement, square feet 2,000
Size: Main building 20' x 100' Wings None Basement None
a _____ Height of first floor above
(How heated) ground 1' x 4'
b _____ How lighted Electricity
(Type of heat) Water connections 2" G.I. Pipe
c Coal Water Heater Sewer connections 4" C.I. "
(Type of domestic hot water heater) Gas connections None

COOKING RANGES INSTALLED

(Give quantity and size)

Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

Gas None
Electric 1- 40 cu.ft.
Ice None

METERS INSTALLED

(Give quantity and capacity)

Gas	None
Electric	"
Oil	"
Steam	"
Water	"

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS



(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No. _____ Building No. 94-E

Place Henry Barracks, Puerto Rico
Designation of building Recreation Building Capacity 28,000 cu.ft.
Total cost, \$ 3,220.00 Date completed February 28, 1941
Material: Walls Wood Foundation Wooden Posts
Roof Wooden rafters, sheathing & prepared Floors Wood
roofing paper # 85. Total floor area above basement, square feet 2,000
Size: Main building 20' x 100' Wings None Basement None
a _____ Height of first floor above
(How heated) ground 1' to 4'
b _____ How lighted Electricity
(Type of heat) _____ Water connections 2" C. I. Pipe
c _____ Sewer connections 4" C. I. Pipe
(Type of domestic hot water heater) _____ Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




BASEMENT



FIRST FLOOR




SECOND FLOOR




DETAIL


IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS GIVING DATA AS PER PLANS ABOVE



Scale: $3/32" = 1'$



Scale: $3/32" = 4'$



Scale: $3/32" = 4'$

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc.

95- E

Place Henry Barracks, Puerto Rico.
Designation of building Post Exchange Capacity 28,000 cu.ft.
Total cost, \$ 3,220.00 Date completed Feb. 28, 1941.
Material: Walls Wood Foundation Wooden Posts
Roof Wood rafters, sheathing & prepared Floors Wood
Total floor area above basement, square feet 2,000
Size: Main building 20' x 100' Wings _____ Basement _____
a _____ Height of first floor above
(How heated) ground From 1' to 4'
b _____ How lighted Electricity
(Type of heat) Water connections 1 1/2" Pipes Galv.
c _____ Sewer connections 2" " "
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED
(Give quantity and size)

Gas _____
Electric _____
Ice _____


METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.

<p>LAUNDRY 14'x19'</p> <p>SEWER LINE</p> <p>WATER SUPPLY SIZE</p> <p>HOT WATER TANK</p> <p>WATER HEATER</p> <p>HEATING BOILER</p> <p>STORAGE ROOM 14'x17'</p> <p>AREA WAY</p> <p>WALL RADIATORS NUMBER OF SECTIONS AND SIZE</p>	<p>WIDTH AND HEIGHT OF ALL WINDOW AND DOOR OPENINGS INCLUDING TRANSOMS</p> <p>KITCHEN 13'x15'</p> <p>PANTRY 7'x11'</p> <p>TOILET 6'x10'</p> <p>BED RM. 12'x18'</p> <p>DINING ROOM 16'x18'</p> <p>HALL 14'x16'</p> <p>PARLOR 14'x18'</p> <p>PORCH, ONE OR TWO STORIES</p> <p>LOCATION OF ALL RADIATORS NUMBER OF COLUMNS, NUMBER OF SECTIONS AND HEIGHT.</p> <p>N</p>	<p>BED ROOM 11'x14'</p> <p>BED RM. 7'x11'</p> <p>BED ROOM 12'x14'</p> <p>HALL 14'x16'</p> <p>TOILET 7'x10'</p> <p>BED ROOM 13'x18'</p> <p>BED ROOM 13'x18'</p>	<p>TIN, SLATE OR COMPO ROOFING, PAPER, SHEATHING.</p> <p>CLAPBOARD SHEATHING, FURRING, PLASTER, STUDDING.</p> <p>WALL THICKNESS: BRICK, STONE, CONCRETE OR TERRA-COTTA.</p> <p>FURRING PLASTER</p> <p>UPPER FLOOR PAPER, UNDER FLOOR PLASTER.</p> <p>CHARACTER OF CONSTRUCTION.</p> <p>STORY HEIGHTS.</p>
<p>BASEMENT</p>	<p>FIRST FLOOR</p>	<p>SECOND FLOOR</p>	<p>DETAIL</p>

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



Scale: $3/32" = 1'$



Scale: $3/32" = 4'$



Scale: $3/32" = 4'$

REMARKS





INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Building No. 96-T

16-8668




BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS GIVING DATA AS PER PLANS ABOVE

FIRST FLOOR

SECOND FLOOR

DETAIL



Scale: $3/32" = 1'$



Scale: $3/32" = 4'$



Scale: $3/32" = 4'$

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No. _____ Building No. 97- E

Place Henry Barracks, Puerto Rico.
Designation of building Kitchen Capacity 39,600 cu.ft.
Total cost, \$ 5,510.00 Date completed Feb. 28, 1941
Material: Walls Wood Foundation Wooden Posts.
Roof Wood rafters, sheathing & prepared Floors Wood
Total floor area above ^{Roofing Paper # 85.} basement, square feet 2,470
Size: Main building 25'4" x 99' Wings None Basement None

a	(How heated)	Height of first floor above ground	1' to 2'
b	(Type of heat)	How lighted	Electricity
c	Coal Water heater (Type of domestic hot water heater)	Water connections	1" G. Pipe
		Sewer connections	4" C "
		Gas connections	None

COOKING RANGES INSTALLED
(Give quantity and size)

REFRIGERATORS INSTALLED
(Give quantity and size)

METERS INSTALLED
[(Give quantity and capacity)]

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

Gas _____
Electric 1-40 cu.ft.
Ice _____

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)





ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




BASEMENT
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



SCALE: $3/32" = 1'$



SCALE: $3/32" = 4'$



SCALE: $3/32" = 3 \frac{1}{3}'$

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No. _____ Building No. 98-E

Place Henry Barracks, P. R.
Designation of building Standard Barrack Capacity 41,150 cu.ft.
Total cost, \$ 4,500.00 Date completed March 19, 1941.
Material: Walls Wood Foundation Wooden Posts
Roof Wood rafters, sheathing & prepared Floors Wood
Total floor area above basement, square feet 2,375
Size: Main building 25'4" x 99' Wings None Basement None
a not heated Height of first floor above ground 1' to 2"
(How heated)
b _____ How lighted Electricity
(Type of heat) Water connections None
c _____ Sewer connections "
(Type of domestic hot water heater) Gas connections "

COOKING RANGES INSTALLED
(Give quantity and size)

(Give quantity and size)	
Coal	None
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas None

Electric "

Ice "


METERS INSTALLED

[(Give quantity and capacity)]	
Gas	None
Electric	"
Oil	"
Steam	"
Water	"


Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.




BASEMENT



FIRST FLOOR




SECOND FLOOR




DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE




SCALE: 3/32" = 1'



SCALE: 3/32" = 4'

31 windows 3' x 5'



SCALE: length... 3/32" = 4'
Elev... 3/32" = 2'

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No. _____ Building No. 99-E

COOKING RANGES INSTALLED
(Give quantity and size)

METERS INSTALLED
[(Give quantity and capacity)]

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____


Gas _____
Electric _____
Ice _____

Gas _____
Electric _____
Oil _____
Steam _____
Water _____


Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 100-E

Place Henry Barracks, Puerto Rico.
Designation of building Standard Barracks. Capacity 41,150 cu. ft.
Total cost, \$ 4,500.00 Date completed March 19, 1941.
Material: Walls Wood Foundation Wooden Posts
Roof Wood rafters, sheathing & prepared Floors Wood
roofing paper # 85
Total floor area above basement, square feet 2,375
Size: Main building 25'4" x 99' Wings None Basement None

a	(How heated)	Height of first floor above ground <u>1' x 4'</u>
b	(Type of heat)	How lighted <u>Electricity</u>
c	(Type of domestic hot water heater)	Water connections _____
		Sewer connections _____
		Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

REFRIGERATORS INSTALLED
(Give quantity and size)

METERS INSTALLED
[(Give quantity and capacity)]

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

Gas _____
Electric _____
Ice _____

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)



ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
“b” State whether steam, vapor, hot water, or hot air.
“c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No. _____ Building No. 101-E

COOKING RANGES INSTALLED
(Give quantity and size)

REFRIGERATORS INSTALLED
(Give quantity and size)

METERS INSTALLED
[(Give quantity and capacity)]

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____


Gas _____
Electric _____
Ice _____

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


O.O.M.G.: Plan No. _____ Building No. 102-E

COOKING RANGES INSTALLED		REFRIGERATORS INSTALLED		METERS INSTALLED	
(Give quantity and size)		(Give quantity and size)		[(Give quantity and capacity)]	
Coal	None	Gas	None	Gas	None
Gas	"	Electric	"	Electric	" "
Electric	"	Ice	"	Oil	" "
Oil	"			Steam	"
Steam	"			Water	"


Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



SCALE: 3/32" = 1'



SCALE: 3/32" = 4'

31 windows 3' x 5'



SCALE: Length... 3/32" = 4'
High... 3/32" = 2'

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 103-E

Place _____
Designation of building _____ Capacity _____
Total cost, \$ _____ Date completed _____
Material: Walls _____ Foundation _____
Roof _____ Floors _____
Total floor area above basement, square feet _____
Size: Main building _____ Wings _____ Basement _____
a _____ Height of first floor above
(How heated) ground _____
b _____ How lighted _____
(Type of heat) Water connections _____
c _____ Sewer connections _____
(Type of domestic hot water heater) Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

REFRIGERATORS INSTALLED
(Give quantity and size)

METERS INSTALLED
(Give quantity and capacity)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

Gas _____
Electric _____
Ice _____

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



DETAIL

A large sheet of graph paper with a grid pattern, intended for sketching basements and floor plans of buildings. The grid is composed of small squares, and the paper is otherwise blank.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

U. S. GOVERNMENT PRINTING OFFICE 16-8668

Place Henry Barracks, Puerto Rico.
Designation of building Standard Mees Hall Capacity 39,600 cu.ft.
Total cost, \$ 5,510.00 Date completed March 19, 1941
Material: Walls Wood Foundation Wooden Posts
Roof Wood rafters, sheathing & prepared Floors Wood
Total floor area above basement, square feet Roofing Paper # 85 2470
Size: Main building 25'4" x 99' Wings None Basement None
a _____ Height of first floor above
(How heated) ground 1' to 3'
b _____ How lighted Electricity
(Type of heat) Water connections 1" G Pipe
Coal Water Heater Sewer connections 4" C "
c _____ Gas connections None
(Type of domestic hot water heater)

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED

Gas _____
Electric 1-40 cu.ft.
Ice _____

METERS INSTALLED

Gas _____
Electric _____
Oil _____
Steam _____
Water _____


Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
“b” State whether steam, vapor, hot water, or hot air.
“c” State whether gas, coal, oil, or central heating plant.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS


If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No.

Building No. 100-2

16—8668



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large grid area for sketching and providing data for the building plans.

REMARKS

Handwritten remarks and notes.

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.O.M.G.: Plan No.

Building No. 109-E

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

See reverse side of form.

O.Q.M.G.: Plan No. _____ Building No. 110-E

Place Henry Barack, Puerto Rico
Designation of building Officers latrine Capacity 9,900 cu ft
Total cost, \$ 2,890.00 Date completed Feb. 28, 1941
Material: Walls Wood Foundation Concrete Reinforced
Roof Wood Rafters, Sheathing and Expanded metal Floors Concrete
Total floor area above basement, square feet 900
Size: Main building 25' x 36' Wings _____ Basement _____
a _____ Height of first floor above ground _____
(How heated) _____
b _____ How lighted Electricity
(Type of heat) _____
c Not Heated Water connections 1" and 2" Galv. pipes
(Type of domestic hot water heater) _____ Sewer connections 2" and 4" C. pipes
Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal	none
Gas	"
Electric	"
Oil	"
Steam	"

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas _____ None _____

Electric _____ ' ' _____

Ice _____ ' ' _____

METERS INSTALLED

Gas _____ *None* _____
Electric _____ " _____
Oil _____ " _____
Steam _____ " _____
Water _____ " _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





BASEMENT FIRST FLOOR SECOND FLOOR
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE




REMARKS


INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.


If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc:




IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



Scale: $\frac{3}{32}'' = 2'$



Scale: $\frac{3}{32}'' = 2'$



Scale: $\frac{3}{32}'' = 1'$

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

Building No. 105-E

16—3668

O.Q.M.G.: Plan No.

Building No. 112-E

Place

Designation of building Livatorium Capacity 9,900 cu. ft.

Total cost, \$ 2890.00 Date completed February 28, 1941

Material: Walls, Wood Foundation Concrete Reinforced

Roof Wood rafters sheathing and prepared roofing Floors Concrete

Total floor area above basement, square feet paper #855 900

Size: Main building 25' x 36' Wings _____ Basement _____

a _____ (How heated) _____ Height of first floor above ground _____

b _____ (name of host) _____ How lighted Electrically

c _____
(Type of domestic hot water heater)

COOKING RANGES INSTALLED

(Give quantity and size)

Coal -----

Gas

Electric _____

Oil _____

Steam -----

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas _____

Electric -----

Ice -----

METERS INSTALLED

(Give quantity and capacity)

Gas

Electric

Oil _____

Steam

Water

Approval of Secretary of War
as required by A. R. 30-1435

(Give date and File Number)


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.


See reverse side of form.




IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



Scale: $\frac{3}{32}'' = 2'$



Scale: $\frac{3}{32}'' = 2'$



Scale: $\frac{3}{32}'' = 1'$

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc:


O.Q.M.G.: Plan No.

Building No. 113-E


[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc:

O.Q.M.G.: Plan No. _____ Building No. 114-E

LF7 (Old No. 173A)
 ne 23, 1939

Henry Baracks, Puerto Rico

Place _____
 Designation of building Laboratory Capacity 9,200
 Total cost, \$ 28,700.00 Date completed Feb. 28/41
 Material: Walls Wood Foundation Concrete reinforced
 Roof Wood shingles and prepared w/ Floors Concrete
 Total floor area above basement, square feet 900
 Size: Main building 25' x 36' Wings _____ Basement _____
 a. _____ Height of first floor above ground _____
 (How heated) _____
 b. _____ How lighted Electricity
 (Type of heat) _____
 c. _____ Water connections 1" & 2" Galv. pipe
 (Type of domestic hot water heater) _____
 Sewer connections 2" & 4" C. pipe
 Gas connections _____

COOKING RANGES INSTALLED
(Give quantity and size)

Coal _____
Gas _____
Electric _____
Oil _____
Steam _____

REFRIGERATORS INSTALLED

(Give quantity and size)

Gas _____

Electric _____

Ice _____

METERS INSTALLED

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)

ADDITIONS AND INSTALLATIONS


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.





BASEMENT FIRST FLOOR SECOND FLOOR
 IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE



REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No.

Building No.

115-E

c. Not Heated
(Type of domestic hot water heater)

Height of first floor above ground 1'-8"

How lighted Electricity

Water connections 1" & 2" Galv. Pipes

Sewer connections 2" & 4" C. Pipe

Gas connections.

METERS INSTALLED
[(Give quantity and capacity)]

Gas	none
Electric	"
Oil	"
Steam	"
Water	"

ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

<p>LAUNDRY 14'x19'</p> <p>SEWER LINE</p> <p>HOT WATER TANK</p> <p>WATER HEATER</p> <p>HEATING BOILER</p> <p>STORE ROOM 14'x17'</p> <p>WALL RADIATORS NUMBER OF SECTIONS AND SIZE</p>	<p>WIDTH AND HEIGHT OF ALL WINDOW AND DOOR OPENINGS INCLUDING TRANSOMS</p> <p>KITCHEN 13'x15'</p> <p>PANTRY 7'x11'</p> <p>BED RM. 12'x18'</p> <p>DINING ROOM 18'x18'</p> <p>HALL 14'x16'</p> <p>PARLOR 14'x18'</p> <p>PORCH, ONE OR TWO STORIES</p> <p>TOILET 6'x10'</p> <p>LOCATION OF ALL RADIATORS NUMBER OF COLUMNS, NUMBER OF SECTIONS AND HEIGHT.</p> <p>N</p>	<p>SECOND FLOOR</p> <p>BED ROOM 11'x14'</p> <p>BED RM. 7'x11'</p> <p>BED ROOM 12'x14'</p> <p>HALL 14'x16'</p> <p>BED ROOM 13'x18'</p> <p>TOILET 7'x10'</p> <p>BED ROOM 13'x18'</p>	<p>TIN, SLATE OR COMPO ROOFING. PAPER. SHEATHING.</p> <p>CLAPBOARD. SHEATHING. FURRING. PLASTER. STUDDING.</p> <p>WALL THICKNESS BRICK, STONE, CONCRETE OR TERRAZZOTA. FURRING PLASTER.</p> <p>UPPER FLOOR PAPER. UNDER FLOOR PLASTER.</p> <p>CHARACTER OF CONSTRUCTION. STORY HEIGHTS.</p>
--	--	--	---

BASEMENT FIRST FLOOR SECOND FLOOR

10 SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

<p>Scale: $\frac{3}{8}'' = 9'$</p>	<p>Scale: $\frac{3}{8}'' = 9'$</p>	<p>Scale: $\frac{1}{2}'' = 5'$</p>
---	---	---

REMARKS

INSTRUCTIONS


If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections: In space under heading "Details" show character of construction, story heights, etc:


U. S. GOVERNMENT PRINTING OFFICE 16-8068

Approval of Secretary of War
as required by A. R. 30-1435
(Give date and File Number)


(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]


See reverse side of form.




BASEMENT



FIRST FLOOR



SECOND FLOOR



DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

REMARKS




INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

O.Q.M.G.: Plan No. _____ Building No. 120-E

16-8668



BASEMENT

FIRST FLOOR

SECOND FLOOR

DETAIL

IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE

A large sheet of graph paper with a grid pattern, showing signs of aging and staining. The paper is off-white or light beige, with a grid of thin black lines. There are several large, irregular brown stains, particularly on the right side and bottom. The paper appears to be a single sheet, possibly from a notebook or a set of graph paper.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.

U. S. GOVERNMENT PRINTING OFFICE 16-5068

O.Q.M.G.: Plan No. _____ Building No. 121-E

Gas _____
Electric _____
Oil _____
Steam _____
Water _____

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

See reverse side of form.

O.Q.M.G.: Plan No. _____ Building No. 122-E

a	(How heated)	Height of first floor above ground <u>6"</u>
b	(Type of heat)	How lighted <u>Electricity</u>
		Water connections <u>1" Galv. Pipe</u>
c	(Type of domestic hot water heater)	Sewer connections <u>2" and 4" pipe</u>
		Gas connections

METERS INSTALLED
[(Give quantity and capacity)]

Gas _____
Electric _____
Oil _____
Steam _____
Water _____


ADDITIONS AND INSTALLATIONS

(Below enter chronologically all modifications, additions, introductions of water, sewer, lights, heating, etc.)

[illegible]

INSTRUCTIONS.—“a” State whether heated from central heating or by individual heating plants, stoves, furnaces, or fireplaces.
 “b” State whether steam, vapor, hot water, or hot air.
 “c” State whether gas, coal, oil, or central heating plant.

See reverse side of form.



BASEMENT FIRST FLOOR SECOND FLOOR
IN SPACE BELOW SKETCH BASEMENT AND FLOOR PLANS OF BUILDINGS, GIVING DATA AS PER PLANS ABOVE


Grid area for sketching and data entry.

REMARKS

INSTRUCTIONS

If plans of building are available, forward copy of same showing information called for above. These plans should be checked against the building and any variations from same in the building as constructed should be noted.

If plans are not available make sketch plans and elevation in spaces above. The plans shown are typical of "quarters." Similar plans may be made for all types of buildings. There are 10 squares to the inch. Each square will represent 1', 2', 4', or 8', etc., as may be necessary to show entire building in the space allowed. Show inside dimensions and designation of each room. Indicate location of water and sewer connections. In space under heading "Details" show character of construction, story heights, etc.



L. ANTONSANTI, INC.

0
5 TOP SOIL

YELLOW
CLAY
&
TOSCA

30

ROCK

45

49 YELLOW CLAY

52 ROCK

YELLOW CLAY
WITH TOSCA
& STONES

61 ROCK

YELLOW
CLAY WITH
TOSCA

82 & STONES

ROCK

197

200 SAND


ROCK

210

WELL NO. 510

OWNER WAR DEPT.

LOCATION HENRY BARRACKS



TEST OF WELL

Date	G. P. M.	W. L.	REMARKS
1944			
SEPT. 6	120	50'	FIRST TEST - WELL 112' DEEP
DEC. 6	255	62	LAST TEST - WELL 210' DEEP
	190	57	
	120	52	

FINAL PUMP INSTALLATION

PUMPING ELEMENT No. OBM-9 STAGES

COLUMN 60 FT. - 4" - 1 1/2" - 1"

MOTOR HEAD

10 H.P. 1760 R.P.M. 3 PHASE 60 CYCLE 220 VOLTS

STARTER CR-7006 D30B



LOOSE I-P LEAF

CLASS MGT SECTIONAL POST BINDER
TOP-LOCKING

PAT. NO. 16066-1145432-1498194
TO DUPLICATE REFER TO

PRODUCT OF WILSON-JONES CO.
MADE IN U.S.A.

